NAPA Kühlerschutz-übersicht 2025/26

Kühlerschutz zukünftig



Kühlerschutz N65

- Pinkes Konzentrat
- Vollständig Rückwärtskompatibel
- Auf Basis Si-OAT
- Auch für Elektro (VW, Tesla, ...)
- Art. Nr. N406xxx

Kühlerschutz Verwendungsübersicht

Verwendungsübersicht
NAPA Kühlerschutzmittel

Marke	Modell	Baujahr ab	bis	Kühlerschutz
Alfa Romeo	alle Modelle	1976	2005	NP48
		2006		N65 (NP30)
Audi	alle Modelle	1981	1996	NP48
		1996	07/2007	N65 (NP30)
		08/2007		N65 (NP40)
		06/2018		N65
Bentley	alle Modelle	1980	2005	NP48
		2005	08/2008	N65 (NP30)
		2008		N65 (NP40)
		06/2018		N65
BMW	alle Modelle	1975	12/2018	NP48
		01/2019		N65
Bugatti	alle Modelle	06/2018		N65
Chevrolet	alle Modelle	2001		N65 (NP30)
Chrysler	alle Modelle		2010	N.V./NOT AV.
		2011		N65 (NP30)
Citroën	alle Modelle	1993		N65 (NP30)
Dacia	alle Modelle	2005		N65 (NP30)
Daihatsu	alle Modelle	1979		N65 (NP30)
Dodge	alle Modelle		2010	N.V./NOT AV.
		2011		N65 (NP30)
Ferrari	alle Modelle	1979	2009	NP48
		2010		N65 (NP30)
Fiat	alle Modelle	1982	2005	NP48
		2005		N65 (NP30)
Ford	alle Modelle		1997	NP48
		1998		N65
Honda	alle Modelle	1983		N65 (NP30)
Hyundai	alle Modelle	1982		N65 (NP30)
Jaguar	alle Modelle	1986	1999	NP48
		1999		N65 (NP30)
Jeep	alle Modelle		2010	N.V./NOT AV.
		2011		N65 (NP30)
KIA	alle Modelle	1991		N65 (NP30)
Lada	alle Modelle			NP48
Lamborghini	alle Modelle	1997	2008	N65 (NP30)
		2009		N65 (NP40)
		06/2018		N65
Lancia	alle Modelle	1976	2005	NP48
		2005		N65 (NP30)
Land Rover	alle Modelle	1998		N65 (NP30)
Lexus	alle Modelle	1994		N65 (NP30)
Lotus	alle Modelle	1980	1999	NP48
		2000		N65 (NP30)
Mazda	alle Modelle	1977		N65 (NP30)
Mercedes-Benz Cars	alle Modelle	1976	04/2014	NP48
		05/2014		N65 (NP40)
MINI	mit Benzinmotor	2001		NP48
	One D / Cooper D	2007	2011	N65 (NP30)
Mitsubishi	alle Modelle	1982		N65 (NP30)
	nur Carisma	1996	2004	NP48
	nur Colt	2004	2007	NP48
Nissan	alle Modelle	1982		N65 (NP30)
Opel	alle Modelle	1975	2000	NP48
		2001		N65
Peugeot	alle Modelle	1993		N65 (NP30)
Porsche	alle Modelle		1995	NP48
		1996	2009	N65 (NP30)
		2010		N65 (NP40)
		06/2018		N65
Renault	alle Modelle	1995		N65
Rolls-Royce	alle Modelle	1998		NP48
Rover	alle Modelle	1982		N65 (NP30)
Saab	alle Modelle	1975	2000	NP48
		2001		N65 (NP30)
Seat	alle Modelle	1985	1996	NP48
		1997	2007	N65 (NP30)
		2008		N65 (NP40)
		06/2018		N65
Skoda	alle Modelle	1989	1998	NP48
		1998	08/2008	N65 (NP30)
		09/2008		N65 (NP40)
		06/2018		N65
Smart	alle Modelle		10/2014	NP48
		11/2014		N65 (NP30)
Subaru	alle Modelle	1977		N65 (NP30)
Suzuki	alle Modelle	1981		N65 (NP30)
Toyota	Diesel	2015		NP48
	Modelle außer Diesel	1978		N65 (NP30)
Volkswagen (VW)	alle Modelle	1975	1996	NP48
		1997	08/2008	N65 (NP30)
		09/2008		N65 (NP40)
		06/2018		N65
Volvo Cars	alle Modelle			N65

KÜHLERSCHUTZ N65

Moderntes Kühlerschutzmittel auf Basis von MEG mit modernster Si-OAT Korrosionsschutztechnologie.

Verwendbar für:
VW TL 774 Ausf. L (G12 evo) | **BMW** LC-18 | **Deutz** CC-14 | **AS** 2108-2004 | **ASTM** D-3306/ D-4985/D-6210 | **CUNA** NC 956-16 | **BS** 6580:2010 | **PN**-C40007:2000 | **SAE** J1034 | **SANS** 1251:2005 | **GB** 29743-2013 | **ASTM** D3306, D1384, D4340, D4985, D6210 | **SAE** J1034 | **2G** all engines | **ALFA ROMEO** from 1976 - 2005, from 2006 | **APRILIA** | **ASTON** MARTIN | **ATLAS** | **AUDI** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **AUSTRALIEN STANDARD** AS 2108-2004 | **BENTLEY** from 1980 - 2005 | **BENTLEY** TL 774 C, TL/774 F, TL/774 G, TL/774 J, TL 774 L (G 12 evo) | **BMW** LC-97, LC-99, LC-18 | **BRITISH STANDARDS** BS 6580:2010 | **BUGATTI** all models, TL/774 L (G12evo) | **BYD COMPANY** | **CASE** NEW HOLLAND MAT3624 | **CATERPILLAR** ECM34 | **CHEVROLET** from 2001 | **CHINA STANDARD** GB 29743-2013 | **CHRYSLER** all models | **CITROËN** from 1993 | **CLAAS** | **CNH INDUSTRIAL** 3veco standard 18-1830 | **CUMMINS** 8978-2, CES 14603, CES 14459 | **CUNA** NC 956-16 | **DACIA** from 2005 | **DAEWOO** all models | **DAF** PAT 76002 | **DAIHATSU** from 1979 | **DEUTZ** FAHR from 04/2017 | **DEUTZ** CA-14, CB-14, CC-14 | **DEUTZ** FAHR until 03/2017 | **DODGE** from 2011 | **DUCATI** | **EICHER ENGINES** all engines | **FAUN** | **FENDT** all models | **FERRARI** from 1979 - 2009, from 2010 | **FIAT** from 1982 - 2004, from 2005 | **FORD** ESD-M97B849-A, WSS-M97B44-D, WSS-M97B51-A1 | **FORD** from 1998 | **FORD** until 1997 | **FRENCH STANDARDS** NF R 15-601 | **FUSO** all models | **FVV STANDARDS** R 530:2006 | **GENERAL MOTORS** GMW 3420, B 040 1065, GM6277M | **GILERA** | **GMC** all models | **HINO** all models | **HITACHI** | **HONDA** MOTORBIKE | **HONDA** from 1983 | **HUERLIMANN** from 04/2017 | **HUERLIMANN** until 03/2017 | **HYUNDAI** from 1982 | **INNSO** | **JENNBACHER** TA 1000-0200 | **IRISBUS** | **IRIZAR** all models | **ISUZU** | **IVECO** from 01/2014, 18-1830 | **JAGUAR** CMR 8229, STJLR 651.5003, e-vehicles | **JAGUAR** from 1986 - 1999, from 1999 | **JAPANESE STANDARDS** JIS K 2234: all versions | **JEEP** | **JENBACHER** TA-Nr. 1000-0200 | **JI CASE** JIC-501 | **JOHN DEERE** all models | **KAWASAKI** | **KIA** from 1991 | **KOBELCO** | **KOMATSU** | **KOREAN STANDARDS** KS M 2142 | **KTM** | **KYMCO** | **LADA** all models | **LAMBORGHINI TRACTORS** from 04/2017 | **LAMBORGHINI TRACTORS** until 03/2017 | **LAMBORGHINI** TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **LANCIA** from 1976 - 2005, from 2005 | **LAND ROVER** from 1995, e-vehicles, ETJLR 651.5003 | **LEXUS** from 1994 | **LIEBHERR** all engines from 2015 | **LIEBHERR** all engines until 2014 | **LOTUS** from 1982 - 1996 from 2000 | **MAHLE** | **MAN ENERGY SOLUTIONS** MAN 2750 | **MAN TRUCKS AND BUS** MAN 324 NF, MAN 324 SNF, MAN 324 SI-OAT, MAN 324 SI-OAT evo | **MAZDA** from 1977 | **MB** CABS MB 325.0, 326.0 (Ready Mix), 325.6, 326.6 (Ready Mix) | **MB TRUCK AND BUS** MB 325.0, 326.0 (Ready Mix), 325.3, 326.3 (Ready Mix), 325.5, 326.5 (Ready Mix) | **MIL BELGIUM** ET-PS-606 A | **MIL FRANCE** DCSEA 913/C | **MIL GERMANY** TL 6850-0035 | **MIL ITALY** ES-14158 | **MIL NORWAY** FD 6850-0951 | **MIL SWEDEN** FSD 8704 | **MINI** BMW LC-97 | **MITSUBISHI** (HHI) all models | **MITSUBISHI** all models | **MTU** MTL 5048 | **MWM** all engines | **NATO STANDARDS** S-759 | **NISSAN** from 1982 | **ÖNORM** V 5123 | **OPEL** B 040 0240, GME L 1301 | **OPEL** from 1975 - 2000, from 2001 | **PERKINS** | **PEUGEOT MOTORBIKE** | **PEUGEOT** from 1993 | **PIAGGIO** | **POLISH STANDARD** PN-C40007:2000 | **PORSCHE** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **RENAULT TRUCKS** all models | **RENAULT** from 1995 | **RENAULT** Typ D | **ROLLS-ROYCE** from 1998, BMW LC-97, MTU - MTL 5048 | **ROVER** from 1982 | **SAAB** 690 1899 | **SAAB** from 1975 - 2000, from 2001 | **SAME** from 04/2017 | **SAME** until 03/2017 | **SANS** 1251:2006 | **SEAT** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **SETRA** MB 325.0, 325.3, 326.3 (Ready Mix), 325.5, 326.5 (Ready Mix) | **SKODA** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **SMART** from 12/2014 | **SMART** MB 325.0 | **SMART** until 10/2014 | **STEYER MOTORS** | **SUBARU** from 1977 | **SUZUKI MOTORBIKE** | **SUZUKI** from 1981 | **SWISS FED.** LAB Empa 3708#29/303 | **SYM** | **TADANO** | **TESLA** all models, until 2020 | **TGB** | **TOYOTA** all diesel from 2015 | **TOYOTA** all petrol 1978 | **TRIUMPH** | **UD** NISSAN DIESEL all models | **UNE** 26-361-88/1 | **VAN HOOL** | **VAUXHALL** GME L 1301, GMW 3420 | **VOLVO** TRUCKS all models | **VOLVO** TR-81854114-002, all models | **VW** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **WABCO** | **WABCO** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo) | **YAMAHA** | **ZETOR** | **ZF** | **ZF** TL 774-C (G11), TL 774-D (G12), TL 774-F (G12+), TL 774-G (G12++), TL 774-J (G13), TL 774-L (G12evo)

KÜHLERSCHUTZ NP48

Nitrit-, amin- und phosphatfreier Zusatz für den Kühler. Schützt den Kühler vor Frost, Korrosion und erhöht den Siedepunkt des Wassers. Für Aluminiummotoren geeignet.

Verwendbar für:
MAN 324 Typ NF, 324 Typ NF Pritarder | **VW** TL 774 Ausf. C | **BMW** LC-87 | **Jenbacher** TA-Nr. 1000-0200 | **Liebherr** Minimum LH-00-COL3A | **MTU** MTL 5048 | **Opel/General Motors** B 040 0240 | **Porsche** für 924, 944, 968, 928 | **Saab** 6901599 | **AS** 2108-2004 | **ASTM** D 3306, D 4985 | **SAE** J1034 | **AFNOR** NFR 15-601 | **BS** 6580:2010 | **DTFR** 29C100 (325.0)